


WONDERLAND LABS

Certificate of Analysis

29 JUNE 2022

MITRAGYNINE / 04-25 RED

Client:	FYE	Acquired By:	Krystal S.
Sample Type:	Powdered	Date Acquired:	06/28/2022
Sample Weight:	200mg	Acquisition Method:	MITA_EVO-R02-FSP
Dilution:	1.0	Testing ID:	GRD-MIT_136121.D
Vial:	Vial 9	Date Processed:	06/28/2022
Injection Volume:	5.0 µl	Run Time:	15 min
SAMPLE SET:	136120	Calibration ID:	999-11111



#	Analyte	RT (min)	Area	Amt (µg/mL)	Alkaloid	Total %
1	Mitragynine	14.078	1907.268	88.549	C ₂₃ H ₃₀ N ₂ O ₄	0.89
2	7-Hydroxymitragynine	6.175	1.686	0.419	C ₂₃ H ₃₀ N ₂ O ₅	.004
3						
4						
5						
6						

Mitragynine Content: **0.89%**
ZERO PERIOD EIGHT NINE PERCENT

Adulterants (Y/N): **None Detected**

Identity Confirmed: **YES**

SEAL OF AUTHENTICITY

VERIFIED BY: *[Signature]*

Quality Assurance: *[Signature]*